

Solvents & Chemicals Order Form (Lab Supplies)

(To be filled by P.I / Lab In-charge / Student)

Grade	Solvents	Packing	Qty Req'd	Empty Bottles Returned	Validated
TG SOLVENTS	Acetone	5L			
	DCM	5L			
	Ethanol	5L			
	Ethyl Acetate	5L			
	Hexane	5L			
	IPA	5L			
	Methanol	5L			
	Total:				

Chemicals	Packing	Qty Req'd
Ammonium Chloride	500G	
Calcium Chloride Anhy	500G	
Copper(II) Sulfate 5-H ₂ O	500G	
Hydrogen Peroxide 30%	1L	
Iodine	100G	
Potassium Carbonate	1KG	
Potassium Chloride	500G	
Potassium Dichromate	500G	
Potassium Hydroxide	1KG	
Potassium Iodide	500G	
Potassium Permanganate	100G	
Sodium Metal	100G	
Sodium Bicarbonate,	500G	
Sodium Carbonate Anhy	500G	
Sodium Hydroxide Pearl	1KG	
Sodium Iodide	250G	
Sodium Sulfate, Anhy	1KG	
Sodium Thiosulfate 5-H ₂ O	500G	
Sulphur Sublimed	250G	

Grade	Solvents	Packing (Might Vary)	Qty Req'd	Empty Bottles Returned	Barcode No.
AR SOLVENTS	Abs Ethanol	2.5L			
	Acetone	4L			
	Chloroform	2.5L			
	Cyclohexane	2.5L			
	DCM	2.5L			
	Diethyl Ether	4L			
	Diethyl Ether Anhy	4L			
	DMF	2.5L			
	DMSO	2.5L			
	Ethyl Acetate	2.5L			
	Hexane	4L			
	IPA	2.5L			
	Methanol	2.5L			
Toluene	2.5L				
HPLC SOLVENTS	Acetone	4L			
	Acetonitrile	4L			
	Chloroform	2.5L			
	DCM	2.5L			
	DMF	2.5L			
	Ethyl Acetate	4L			
	Hexane	4L			
	IPA	2.5L			
	Methanol	2.5L			
	THF	2.5L			
Toluene	2.5L				
ACIDS / BASES	Ammonium Hydroxide 25%	2.5L			
	Glacial Acetic Acid	2.5L			
	Hydrochloric Acid 37%	2.5L			
	Nitric Acid 65%	2.5L			
	Sulfuric Acid 98%	2.5L			
	Citric Acid, Monohydrate	500g			

Updated 16.09.2019

Deuterated	Packing	Qty Req'd
Acetone-D ₆	10x0.75ML	
Acetonitrile-D ₃	10x0.75ML	
Benzene-D ₆	10x0.75ML	
Chloroform-D ₁	100G	
Deuterium Oxide	10x0.7ML	
DMSO-D ₆	10x0.6ML	
Methanol-D ₄	10x0.75ML	
Methylene Chloride-D ₂	10x0.75ML	

For Official

B Series No.:

D Series No.:

LS Staff Signature:

Maximum Allowable Quantity
Empty Bottles Return

I authorise the indicated personnel to acquire the specified item(s).

Requested by

Authorised By

Name:

Name of P.I:

Matric / Staff No.:

WBS:

Date:

Date:

Lab Location:

*Note: Each lab can only have a **maximum of 12 bottles of TG solvents in their lab/level** at any time.